

Extremely fast. Even when braking.

The ContiSportContact™ 5 P - safe performance for sporty cars, giving maximum fun at the wheel.

New!




- ▶ Perfect steering precision and sporty handling.
- ▶ Outstanding grip and stability during cornering.
- ▶ Short braking distances on both wet and dry roads.
- ▶ Optimised to meet the specific requirements of front and rear axle positions.



Continental 
Tyres – Engineered in Germany.

Enjoying high-tech. Safely.

Technical highlights.



Perfect steering precision and sporty handling.

The solid, sturdy central ribs, attached tread lugs, plus asymmetrical tread ribs ensure optimum, longitudinal stiffness in the tyre and reduced movement in the tread. This means steering forces are transmitted straight to the road.



Outstanding grip and stability during cornering.


A supple macro-block design on the outer shoulder and solid central ribs, ensure that the tyre adapts perfectly to the road surface. Particularly during fast cornering the contact patch is increased. The driver receives excellent feedback when approaching the limit and the tyre provides outstanding grip with maximum stability.



Black Chilli
Technology

Short braking distances on both wet and dry roads.

Black Chilli Technology is a specially developed compound technology involving an innovative type of racing grade carbon black, which ensures a speedy warm-up process and greater stability. The polymers in the compound are reinforced with nano particles, making them extremely supple. Thus they provide more contact points with the road, so grip is substantially enhanced and the tyre far more stable. In addition, special grip resins provide optimum interlocking with both wet and dry roads, thus achieving shorter braking distances.



Rolling resistance-optimised 'cap and base' tread.

The two tread components - 'cap' and 'base' - complement the balanced compound concept and ensure good grip in the wet, whilst at the same time providing short braking distances and reduced rolling resistance.

The 'cap', on the outside, provides good grip in the wet and short braking distances, whilst the 'base', on the inside, reduces rolling resistance. Together they achieve more positive road grip and retain kinetic energy, whilst simultaneously ensuring high safety.

A hot tyre. Warmly recommended by the experts.



"It brakes ... and stops!

The short braking distance of the ContiSportContact™ 5 P has me convinced!"

**Roman Fenners, General Manager, Development & Buying
AC Schnitzer**

A division of Kohl automobile GmbH



"I drive dynamically and need steering that's highly precise.

The ContiSportContact™ 5 P transmits my steering commands to the road 100%."

**Thomas Behringer, Managing Director
TECHART Automobil design GmbH**



"This grip is sensational!


Even at the limit, the ContiSportContact™ 5 P remains right on the ideal racing line."

**Hans-Jürgen Abt, Managing Director
ABT Sportsline GmbH**



"Even in the rain, the ContiSportContact™ 5 P delivers powerful performance! Perfect contact with the road, even when it's wet."

**Marcus Lorinser, Managing Director
Sportservice Lorinser
Sportliche Ausrüstung GmbH**




Original Equipment approvals.

Original Equipment approvals			
 Audi	Audi TT RS	255/30 ZR 20	255/30 ZR 20
	Mercedes C 63 AMG	235/40 ZR 18	255/35 ZR 18
	Mercedes C 63 AMG	235/35 ZR 19	255/30 ZR 19
	Mercedes E 63 AMG	255/35 ZR 19	285/30 ZR 19
	Mercedes SL 63/65 AMG	255/35 ZR 19	285/30 ZR 19
	Renault Mégane III Sport RS	235/35 ZR 19	235/35 ZR 19

Tyre performance.

- ContiSportContact™ 3 = 100%
 - - - ContiSportContact™ 5 P
 - ContiSportContact™ 5 P
- Mixed tyres (different sizes on front and rear axle)



Size range.

ZR sizes for Customising, Replacement and Original Equipment	
Front axle/All-round fitment	Rear axle only
235/40 ZR 18 95Y XL FR ContiSportContact™ 5 P MO*	255/35 ZR 18 94Y XL FR ContiSportContact™ 5 P MO*
225/35 ZR 19 TL XL FR ContiSportContact™ 5 P	255/30 ZR 19 TL XL FR ContiSportContact™ 5 P / MO*
235/35 ZR 19 TL XL FR ContiSportContact™ 5 P / MO*	265/30 ZR 19 TL XL FR ContiSportContact™ 5 P
245/35 ZR 19 TL XL FR ContiSportContact™ 5 P	275/30 ZR 19 TL XL FR ContiSportContact™ 5 P
255/35 ZR 19 TL XL FR ContiSportContact™ 5 P MO*	285/30 ZR 19 TL XL FR ContiSportContact™ 5 P MO*
255/40 ZR 19 TL XL FR ContiSportContact™ 5 P	295/25 ZR 20 TL XL FR ContiSportContact™ 5 P
245/30 ZR 20 TL XL FR ContiSportContact™ 5 P	305/25 ZR 20 TL XL FR ContiSportContact™ 5 P
245/35 ZR 20 TL XL FR ContiSportContact™ 5 P	325/25 ZR 20 TL XL FR ContiSportContact™ 5 P
255/30 ZR 20 TL XL FR ContiSportContact™ 5 P / RO1**	295/30 ZR 21 TL XL FR ContiSportContact™ 5 P
265/30 ZR 21 TL XL FR ContiSportContact™ 5 P	
255/35 ZR 21 TL XL FR ContiSportContact™ 5 P	
315/25 ZR 23 TL XL FR ContiSportContact™ 5 P	

Availability in 1st quarter 2010

* MO = Mercedes models ** RO1 = Audi quattro GmbH models